

Tutorials

Jenkins local

Jenkins PVE

PVE zertifikat in die JVM importieren

```
openssl s_client -showcerts -connect dvsdnet2.devoteam.de:8006 | openssl  
x509 -outform PEM > ~/root_ca.pem
```

Java Keystore duplizieren und nach Jenkins verschieben

```
mkdir $JENKINS_HOME/keystore/
```

```
cp $JAVA_HOME/jre/lib/security/cacerts $JENKINS_HOME/keystore/
```

Root CA aus dem PVE hinzufügen

```
keytool -import -alias $ALIAS -keystore $JENKINS_HOME/keystore/cacerts -file  
~/root_ca.pem
```

Add -Djavax.net.ssl.trustStore=\$JENKINS_HOME/keystore/cacerts to the # Jenkins startup parameters. For Debian/Ubuntu, this is /etc/default/jenkins echo 'JAVA_ARGS="\$JAVA_ARGS -Djavax.net.ssl.trustStore=\$JENKINS_HOME/keystore/cacerts"'

```
/etc/default/jenkins
```

sudo service jenkins restart

From:

<https://wiki.netzwissen.de/> - **netzwissen.de Wiki**

Permanent link:

<https://wiki.netzwissen.de/doku.php?id=jenkins&rev=1693378117>

Last update: **17/08/2024 - 07:06**

