

Owncloud OCIS (owncloud infinite scale)

Docs

- General Docs: <https://doc.owncloud.com/ocis/next>
- Development Rules: The Twelve Factor App <https://12factor.net/>
- Binary Setup: <https://doc.owncloud.com/ocis/next/deployment/binary/binary-setup.html>
- Container Setup:
<https://doc.owncloud.com/ocis/next/deployment/container/orchestration/orchestration.html>
- Bare Metal with Systemd <https://doc.owncloud.com/ocis/next/depl-examples/bare-metal.html>
- OIDC Example (Keycloak)
https://github.com/owncloud/ocis/tree/master/deployments/examples/ocis_keycloak
- Environment variables
<https://doc.owncloud.com/ocis/next/deployment/services/env-vars-special-scope.html>
- WOPI/Collabora <https://doc.owncloud.com/ocis/next/deployment/wopi/wopi.html>

Initialisation

init creates yaml

For the admin user, use the credentials on realm netzwissen from the IDP

```
root@ocis:/etc# sudo -u ocis ocis init --admin-password=xxxxxxxxx --  
insecure=false --config-path=/etc/ocis --
```

```
=====
```

generated OCIS Config

```
=====
```

```
configpath : /etc/ocis/ocis.yaml  
user       : admin  
password   : xxxxxxxxxxxx
```

```
-----
```

Basic data structures and config prepared for haproxy

```
sudo -u ocis OCIS_INSECURE=false OCIS_CONFIG_DIR=/etc/ocis  
PROXY_HTTP_ADDR=10.10.10.23:9200  
PROXY_TLS=false OCIS_URL=https://ocis.netzwissen.de  
OCIS_BASE_DATA_PATH=/mnt/data/ocis  
OCIS_LOG_LEVEL=debug OCIS_LOG_FILE=/var/log/ocis/ocis.log ocis server
```

From:

<https://wiki.netzwissen.de/> - **netzwissen.de Wiki**

Permanent link:

<https://wiki.netzwissen.de/doku.php?id=ocis&rev=1705164583>

Last update: **17/08/2024 - 07:06**

